

STATE: Rajasthan




DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
1 Shrijee Private ITI, F-10, Jail Road, Teshil Dholpur, Dist. Dholpur Pin- 328001 Rajasthan DGET-6/20/13/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-29/6/2013 w.e.f. Aug 2013
2 Shivaji Private ITI, S.H. No. 8B, Near Bus Stand Tankarda, Chomu, Dist. Jaipur Rajasthan DGET-6/20/11/2013-TC (New Pvt.)	Electrician	9(3+3+3)	9(3+3+3)	9(3+3+3)	Assessment-16/6/2013 w.e.f. Aug 2013
3 Vivek Private ITI, 815/1, Village-Kalwar, Jaipur-Jobner Road, Dist. Jaipur Rajasthan DGET-6/20/12/2013-TC (New Pvt.)	Electrician Fitter	6(2+2+2) 2(1+1)	6(2+2+2) 2(1+1)	6(2+2+2) 2(1+1)	Assessment-26/6/2013 w.e.f. Aug 2013
4 Vijay Private ITI, Village/Post. Radawas, Tehsil-Shahpura, Dist. Jaipur Rajasthan DGET-6/20/16/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	Assessment-28/6/2013 w.e.f. Aug 2013


 पी. एन. यादव / P. N. YADAV
 संयुक्त निदेशक प्रशिक्षण / Joint Director Training
 डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
 D.G.E.&T., Min. of Labour & Employment
 भारत सरकार / Govt. of India
 नई दिल्ली / New Delhi



STATE: Rajasthan

DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
5 Aravali Private ITI, SPL-225, RIICO Industrial Area, Bagru(Extension), Phase-II, Dist. Jaipur Rajasthan DGET-6/20/15/2013-TC (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-30/6/2013 w.e.f. Aug 2013
6 Achrol Private ITI, Near Power House Road, VPO Achrol, Tehsil Amer, Dist. Jaipur Rajasthan DGET-6/20/14/2013-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	*	Assessment-14/6/2013 *Tool list is not enclosed. Both Assessors has not signed on each page on some page assessors has signed below the stamp. QCI to clarify.
7 Chandel Private ITI, Reengus Road, Ward No. 30, Chomu Dist-Jaipur Pin-303702 Rajasthan DGET-6/20/32/2013 (New Pvt.)	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	Assessment-18/07/2013 w.e.f Aug 2013
8 Govt. ITI Kotaputli, Mohalla Badabas, Tehsil Kotaputli, Dist-Jaipur Pin-303108 Rajasthan DGET-6/17/03/88-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Assessment-06/07/2013 w.e.f Aug 2013

-2-

पी. एन. यादव P. N. YADAV
संयुक्त निदेशक/प्रशिक्षण Joint Director Training
डी.जी.ई. एंड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत

STATE: Rajasthan



DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
9 Utam Private ITI, Khasra No. 248/464 V, jalimpura, Post-Sultanpur, Taluk Digod, Dist-Kota Pin-325204 Rajasthan DGET-6/20/26/2013 (New Pvt.)	Electrician	18(6+6+6)	18(6+6+6)	18(6+6+6)	Assessment-23/06/2013 w.e.f Aug 2013
10 Ganpati Private ITI, 128 JMS Nagar, Niworu Road, Jhotwara Dist-Jaipur Pin-302012 Rajasthan DGET-6/20/27/2013 (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	Assessment-13/7/2013 w.e.f Aug 2013
	Fitter	2(1+1)	2(1+1)	2(1+1)	
11 Arvind Private ITI, Panchawati Colony, Silari Road, Pipar City Dist-Jodhpur Rajasthan DGET-6/20/30/2013 (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	Assessment-22/06/2013 w.e.f Aug 2013
12 CKRD Memorial Private ITI, F-151 "A" IInd Ohase RIICO Industrial Area, Dist-Jhunjhunu Rajasthan DGET-6/20/31/2013-TC (New Pvt.)	Mech. (R & AC)	2(1+1)	2(1+1)	2(1+1)	Assessment-23/7/2013 w.e.f Aug 2013
	Electronic Mech.	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	
	Electrician	4(2+2)	4(2+2)	4(2+2)	

-3-

पी. एन. यादव / P. N. YADAV
संयुक्त निदेशक प्रशिक्षण / Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi



STATE: Rajasthan

DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instit.	QCI	Approval by Sub-Committee of NCVT	
13 Tejas Private ITI, SH. No. 6- Main Jodhpur Road, Bhopalgarh, Dist-Jodhpur Rajasthan DGET-6/20/25/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-23/07/2013 w.e.f Aug 2013
14 Shri Balaji Private ITI, Opposite Chinta Narayan Balaji Temple Durian, Gudha Gorji Dist-Jhubjhunu Rajasthan DGET-6/20/35/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	Assessment-14/07/2013 *1.Provisional demand note is respect of electricity connection dated 26.04.2013 is provided. 2. Meter sealing report/latest electricity bill not enclosed. 3. Only one instructor with diploma qualification is appointed. QCI to clarify.
15 Sh. Radhe Rani Private ITI, B-12, Laxman Vihar, Opp. Roadways workshop, Kumhari, Ladpura, Dist-Kota Pin-324008 Rajasthan DGET-6/20/28/2013-TC (New Pvt.)	Electrician	3(1+1+1)	3(1+1+1)	*	Assessment-24/06/2013 *Neither meter sealing report nor latest electricity bill is enclosed to verify electricity load. 2.The connection document shown 1Ø(phase) supply. QCI to clarify.
16 Shiva Lok Private ITI, Plot No. 75-76, Shyam Nagar, Badrana, Harmada, Sikar Road, Dist-Jaipur Rajasthan DGET-6/20/21/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-20/7/2013 w.e.f Aug 2013

-4-

पी. एन. यादव P. N. YADAV
संयुक्त निदेशक प्रशिक्षण / Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार / Govt. of India




STATE: Rajasthan

DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	QCI	Approval by Sub-Committee of NCVT		
17 Bhairav Private ITI, VPO Dhawali, Dist-Jaipur Pin-302033 Rajasthan DGET-6/20/23/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	Assessment-19/7/2013 *Operating condition of machines are not visual in videography. QCI to clarify.	
18 Balaji Private ITI, VPO Bhadira, Teh- Nadbai, Dist-Bharatpur Pin-321602 Rajasthan DGET-6/20/19/2013-TC (New Pvt.)	Electrician Fitter	6(2+2+2) 3(1+1+1)	6(2+2+2) 3(1+1+1)	6(2+2+2) 3(1+1+1)	Assessment-14/06/2013 w.e.f Aug 2013	
19 Neer Private ITI, Pipar Road, Dist-Jodhpur Rajasthan DGET-6/20/22/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	*	Assessment-17/7/2013 *1.The videography does not show assessor, staff, or instructor/ principal. 2.The workshop walls are having Tin partition 3. General machineries are not shown in CD. 4. The assessor have not signed on page 108 to 110 of proposal. QCI to clarify.	
20 Sony Tech Private ITI, plot No. 2 & 3 Vishnu Vihar, Behind BSNL New Grain Mandi, Skim Chittor Road, Dist- Bundi Rajasthan DGET-6/20/21/2013-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-23/6/2013 w.e.f Aug 2013	

-5-


पी. एन. यादव/P. N. YADAV
संयुक्त निदेशक प्रशिक्षण/Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत सरकार

STATE: Rajasthan



DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
21 Roop Rajat Private ITI, 1, Jhule Lal Marg, Shiprapath, Mansarovar, Sanganer, Dist. Jaipur Rajasthan DGET-6/20/9/2013-TC	Electrician	6(3+3)	6(3+3)	6(3+3)	Assessment-16/6/2013 SIR-22/7/2013 w.e.f. Aug 2013
22 BGK Private ITI, Mukundgarh mandawa Road, Taluk Churi Ajitgarh Dist-Jhunjhunu Pin-333701 Rajasthan DGET-6/20/33/2013-TC (New Pvt.)	Electrician Fitter Mech. Diesel	18(6+6+6) 3(1+1+1) 2(1+1)	18(6+6+6) 3(1+1+1) 2(1+1)	18(6+6+6) 3(1+1+1) 2(1+1)	Assessment-11/07/2013 w.e.f Aug 2013
23 Tagore Private ITI, Near Mela Maidan Molasar Didwana, Dist-Nagour Rajasthan DGET-6/20/29/2013 (New Pvt.)	Electrician	8(4+4)	8(4+4)	8(4+4)	Assessment-20/07/2013 w.e.f Aug 2013
24 Shree Govind Dev Private ITI, F-80 In back of Sadar Thana, Jaipur Road, Dist- Tonk Rajasthan DGET-6/20/34/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	*	Assessment-09/07/2013 *1.Layout plan not on blue print & not signed by regd. Architecture. 2.latest electricity bill not enclosed. Only re-connection order is provided. 3.Assessor are not shown in videography. 4.Only short duration video clip are provided in are CD. QCI to clarify.

-6-

P. N. YADAV
पी. एन. यादव/P. N. YADAV
संयुक्त निदेशक प्रशिक्षण/Joint Director Training
डी.जी.ई. एण्ड टी., थ्रम एजें मेजमगर संस्थान
D.G.E.&T., Min. of Education, Government of Rajasthan

STATE: Rajasthan




DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	QCI			
25 Mohta Private ITI, Pilani Road, Sadulpur, Dist. Churu Rajasthan DGET-6/17/22/86-TC	Electrician	Addl. 4(2+2)	Addl. 4(2+2)	Addl. 4(2+2) Total 8(4+4)	Assessment-26/06/2013 SIR-22/07/2013 w.e.f Aug 2013	
26 Mehta Private ITI, P.O Harmara Sikar Road, Amer, Dist-Jaipur Pin-302032 Rajasthan DGET-6/20/17/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)	4(2+2)	Assessment-15/06/2013 w.e.f Aug 2013	
27 Shree Nath ITC, 974/1, Vill. Amthala, Abu Road, Dist. Sirohi Pin- 307510 Rajasthan DGET-6/20/13/2009-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Assessment-23/06/2013 w.e.f Aug 2013	
28 Tirupati ITC, Block No. 262, Sector-26, Pratap Nagar Sanganer Dist. Jaipur Rajasthan DGET-6/20/115/2009-TC	Electrician	Addl. 13(4+4+5)	Addl. 13(4+4+5)	Addl. 13(4+4+5) Total 15(5+5+5)	Assessment-16/07/2013 w.e.f Aug 2013	

-7-


 पी. एन. यादव/P. N. YADAV
 संयुक्त निदेशक प्रशिक्षण/Joint Director Training
 डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
 D.G.E.&T., Min. of Labour & Employment
 भारत सरकार



STATE: Rajasthan

DATED:30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	QCI	Approval by Sub-Committee of NCVT	
29 Bhushan Private ITI, 217 A, Paschim Vihar, Vashali nagar, Dist-Jaipur Rajasthan DGET-6/20/6/2004-TC	Electrician	Addl. 10(2+2+6)	Addl. 10(2+2+6)	Addl. 10(2+2+6) Total 18(6+6+6)	Assessment-07/07/2013 w.e.f Aug 2013
	Fitter	Addl. 2(0+0+2)	Addl. 2(0+0+2)	Addl. 2(0+0+2) Total 6(2+2+2)	
	Mech. Diesel	Addl. 1(0+0+1)	Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1)	
30 Shifting Case Mata Kitab Kaur Private ITI, 14SSW, Kohla, Mega Highway, Near Toll Plaza, Dist. Hanumangarh Rajasthan DGET-6/20/79/2008-TC	Electrician	4(2+2)	De-affiliated	De-affiliated	Both trades are de-affiliated at old location. w.e.f. Aug 2013
	Fitter	2(1+1)	De-affiliated	De-affiliated	
	The trades Electrician -4(2+2) units and Fitter - 2(1+1) units are de-affiliated at old location Mata Kitab Kaur ITC, Plot NO. 36/1, Sector-9, Vinay Vatika, Dist. Hanumangarh w.e.f. Aug 2013.				
Electrician	Addl. 8(2+2+4)	Addl. 8(2+2+4)	Addl. 8(2+2+4) Total 12(4+4+4)		
Fitter	Addl. 1(0+0+1)	Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1)		
31 Y.S. Halwan Private ITI, F-67, Industrial Area, Rayla Road, Piloni, Dist. Jhunjhunu Rajasthan DGET-6/20/8/2010-TC	Electrician	Addl. 10(3+3+4)	Addl. 10(3+3+4)	Addl. 10(3+3+4) Total 12(4+4+4)	Assessment-8/7/2013 w.e.f. Aug 2013

-8-

प्री. एन. यदव / P. N. YADAV
संयुक्त निदेशक प्रशिक्षण / Joint Director Training
डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
D.G.E.&T., Min. of Labour & Employment
भारत




STATE: Rajasthan

DATED: 30/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	QCI			
32 Vinayak Raj Private ITI, 160 Swaroop Vihar Jagatpura, Dist. Jaipur Rajasthan DGET-6/20/24/2013-TC (New Pvt.)	Electrician	4(2+2)	4(2+2)		*	Assessment-20/7/2013 *No meter sealing report is enclosed, institute obtained temporary connection. 2. Assessor is not seen in videography. QCI to clarify.
33 Shivalok Private ITI, Village& Post. Rundal, Teh. Amer, Dist. Jaipur Rajasthan DGET-6/20/18/2013-TC (New Pvt.)	Electrician	36(12+12+12)	36(12+12+12)	36(12+12+12)		Assessment-9/7/2013 w.e.f. Aug 2013
34 Navjeevan Private ITI, Bhande Ka Balaji, Tehsil- Fulera, Dist. Jaipur Rajasthan DGET-6/20/7/2012-TC	Electrician	Addl. 6(3+3)	Addl. 6(3+3)	Addl. 6(3+3) Total 8(4+4)		Assessment-19/7/2013 w.e.f. Aug 2013
35 Shri Giriraj Private ITI, A-121 to 126, Riddi Siddhi Nagar Kunhari, Dist. Kota Rajasthan DGET-6/20/11/2012-TC	Wireman	2(1+1)	De-affiliated	De-affiliated		The trade Wireman -2(1+1) units de-affiliated. w.e.f. Aug 2013.
The trade Wireman -2(1+1) units are de-affiliated at this location w.e.f. Aug 2013.						

-9-


 P. N. YADAV / P. N. YADAV
 संयुक्त निदेशक प्रशिक्षण / Joint Director Training
 डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय
 D.G.E.&T., Min. of Labour & Employment
 भारत सरकार / Govt. of India
 नई दिल्ली / New Delhi